


TPR 360° LED NEON SINGLE COLOR (22MM)

IP65

Description:

The **TPR LED 360° Neon** is a flexible Neon replacement for Architectural and Entertainment venues. It is IP65 rated and has UV inhibitors. Great for outlining buildings and creating curved lines of light, it is an excellent choice for Marquees and large scale signage. This product is unique in its ability to broadcast light in 360 degrees. It also cuts to length every 2". We supply this product prefabricated and ready for installation with power feed and end cap installed.



Specifications:

Construction:	Silicone
Power:	4W/ft
Operating Voltage:	24VDC
Operating Temp:	-4F to 104F (-20C to 40C)
Dimensions:	22mm Diameter
Lamp Life:	50,000hr (70% Lumen Maintenance)
Cut length:	Every 2"
Max Run Length:	16ft
Binning:	3 step MacAdam ellipse
Power Feed:	10' standard

COLOR	LUMENS	NM
2700K	160	-
3000K	163	-
4000K	172	-
5000K	187	-
RED	75	620
BLUE	36	465
GREEN	155	525
PINK	126	-
YELLOW	65	595
ORANGE	75	-

Certifications:



Ordering Logic:


















MODEL	COLOR	LENGTH (in inches)	FEED
TPR-FL-NEON-360-W	2700K 3000K 4000K 5000K RED BLUE GREEN PINK YELLOW ORANGE		END SIDE

Specifications are subject to change without notice.

TPR 360° LED NEON SINGLE COLOR (22MM)

IP65

Installation Diagram



TPR 360° LED NEON SINGLE COLOR (22MM)

IP65

Product Accessories



NAME: R25
MODEL: R25-IA



NAME: R25 Surface Mounting with PC Profile
MODEL: R25-IA02 **ATTACHMENT:** transparent PC mounting profile, tapping screws, expandable rubber plugs



NAME: R25 "U" Type Hanging Mounting with open PC clips **MODEL:** R25-IA03 **ATTACHMENT:** transparent PC mounting clips, kit of hanging rope, screws



NAME: R25 "U" Type Hanging Mounting with PC Profile **MODEL:** R25-IA04 **ATTACHMENT:** transparent PC mounting profile, kit of hanging rope, screws



NAME: R25 Connector **MODEL:** R25-IA05 **ATTACHMENT:** kit of "I" type hanging mounting, tapping screws, expandable rubber plugs



NAME: R25 "U" Type Hanging Mounting **MODEL:** R25-IA06 **ATTACHMENT:** Kit of "I" type hanging mounting, tapping screws, expandable rubber plugs



NAME: R25
MODEL: R25-IA07



NAME: R25 Connector with Side Outlet **MODEL:** R25-IA08 **ATTACHMENT:** metal connector with side outlet, tapping screws



NAME: R25 "I" Type Hanging Mounting **MODEL:** R25-IA09 **ATTACHMENT:** metal connector, tapping screws



NAME: R25 Surface Mounting with closed PC Clips **MODEL:** R25-IA10 **ATTACHMENT:** "O" type transparent PC clips, transparent PC pedestals with one hole, tapping screws, expandable rubber plugs



NAME: R25 "U" Type Hanging Mounting with Closed PC Clips **MODEL:** R25-IA11 **ATTACHMENT:** "O" type transparent PC clips, transparent PC pedestals with one hole, kit of hanging rope, machine screws



NAME: R25
MODEL: R25-IA12



NAME: R25
MODEL: R25-IA13



NAME: R25 "U" Type Adjustable Hanging Mounting with PC Clips **MODEL:** R25-IA14 **ATTACHMENT:** transparent PC mounting clips, machine screws, kit of telescopic rod



NAME: R25 "U" Type Adjustable Hanging Mounting with PC Profile **MODEL:** R25-IA15 **ATTACHMENT:** transparent PC mounting profile, Machine screws, kit of telescopic rod



NAME: R25 Side Outlet Transparent Connector **MODEL:** R25-IA18 **ATTACHMENT:** screws, PMMA transparent side outlet connector



NAME: R25 Side Outlet Transparent Connector with Lifting Rope **MODEL:** R25-IA19 **ATTACHMENT:** screws, kit of hanging rope, expandable rubber plugs, tapping screws PMMA transparent connector



NAME: R25 Transparent Connector **MODEL:** R25-IA20 **ATTACHMENT:** screws, PMMA transparent connector



NAME: R25 Transparent Connector with Lifting Rope **MODEL:** R25-IA21 **ATTACHMENT:** screws, kit of hanging rope, expandable rubber plugs, tapping screws PMMA transparent connector